

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

280.3479
134P

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
November 1964

JAN 13 1965

January 13, 1965
GENERAL RECORDS

Inspected Poultry - A total of 853,411,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during November 1964 under the Poultry Inspection Act carried on by the USDA. This was 13 percent less than the previous month but 7 percent more than November 1963.

The number of head and pounds (live weight) inspected by classes in November 1964 were: young chickens, 133,075,000 head, 468,413,000 pounds; mature chickens, 14,018,000 head, 66,038,000 pounds; fryer-roaster turkeys, 1,746,000 head, 15,412,000 pounds; young turkeys, 13,776,000 head, 298,185,000 pounds; old turkeys, 16,000 head, 288,000 pounds; and ducks 779,000 head, 5,075,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in November 1964 totaled 639,713,000 pounds ready-to-cook weight of which 373,148,000 pounds were iced and 266,565,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 339,303,000 pounds; mature chickens, 44,239,000 pounds; fryer-roaster turkeys, 11,908,000 pounds; young turkeys, 238,494,000 pounds; old turkeys, 232,000 pounds; ducks 3,552,000 pounds; and other poultry, 1,985,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in November 1964 totaled 58,732,000 pounds ready-to-cook weight, compared with 54,530,000 pounds in November 1963. The quantity used in November 1964 consisted of 9,288,000 pounds of young chickens, 24,153,000 pounds of mature chickens, 21,676,000 pounds of turkeys, and 3,615,000 pounds of other poultry.

Cut-Up Poultry - Poultry cut-up and packaged in Federally inspected plants during November 1964 totaled 73,862,000 pounds ready-to-cook weight compared with 67,761,000 pounds in November 1963. The breakdown by classes for November 1964 consisted of 66,008,000 pounds of young chickens, 758,000 pounds of mature chickens, 6,989,000 pounds of turkeys, and 107,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,578,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.19 percent; mature chickens, 0.36 percent; fryer-roaster turkeys, 0.17 percent; and young turkeys, 0.14 percent.

Post-mortem condemnations in November 1964 amounted to 16,985,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.40 percent; mature chickens, 3.51 percent; fryer-roaster turkeys, 1.69 percent; young turkeys, 1.69 percent; old turkeys, 0.39 percent; and ducks, 1.23 percent. In November 1963, the condemnations by classes were equivalent to the following percentages of quantities inspected: Young chickens, 2.31 percent; mature chickens, 3.31 percent; fryer-roaster turkeys, 1.45 percent; young turkeys, 1.51 percent; old turkeys, 1.16 percent; and ducks, 2.10 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE
Statistical Reporting Service
Pou 2-1 (1-65)

Crop Reporting Board
Washington, D. C.

Poultry: Slaughtered under Federal Inspection, November 1964 with comparisons

Class	Number inspected			Pounds inspected (live weight)			Average live weight		
	:			:			:		
	Oct. 1964	Nov. 1963	Jan.-Nov. 1964	Oct. 1964	Nov. 1963	Jan.-Nov. 1964	Oct. 1964	Nov. 1963	Jan.-Nov. 1964
	Thou.	Thou.	Thou.	Thou.	pounds	pounds	pounds	pounds	pounds
Young chickens	160,526	126,169	133,075	1,691,208	1,769,383	568,736	449,496	468,413	5,847,493
Mature chickens	17,538	15,329	14,018	114,521	120,740	80,960	72,814	66,038	548,298
Total chickens	178,064	141,498	147,093	1,805,729	1,890,123	649,696	522,310	534,451	6,395,791
Fryer-roasters	1,901	1,800	1,746	13,189	14,443	16,682	16,117	15,412	115,130
Young turkeys	14,603	12,008	13,776	57,443	61,948	306,420	256,267	298,185	1,108,547
Old turkeys	26	11	16	2,999	2,524	422	191	288	58,076
Total turkeys	16,530	13,819	15,538	73,631	78,915	323,524	272,575	313,885	1,281,753
Ducks	1,011	654	779	9,897	10,241	6,653	4,238	5,075	63,224
Other poultry	---	---	---	---	---	1,245	2,469	2,757	6,291
Total poultry	---	---	---	---	---	981,118	801,592	856,168	7,747,059

Pounds certified (ready-to-cook weights)

Class	October 1964			November 1964			January-November 1964		
	:			:			:		
	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	363,173	50,066	413,239	280,053	46,216	326,269	296,697	42,606	339,303
Mature chickens	37,832	16,284	54,116	30,538	18,913	49,451	32,152	12,087	44,239
Total chickens	401,005	66,350	467,355	310,591	65,129	375,720	328,849	54,693	383,542
Fryer-roasters	1,107	11,815	12,922	1,729	10,785	12,514	1,604	10,304	11,908
Young turkeys	23,094	221,916	245,010	38,221	166,504	204,725	42,264	196,230	238,494
Old turkeys	---	341	341	---	154	154	25	207	232
Total turkeys	24,201	234,072	258,273	39,950	177,443	217,393	43,893	206,741	250,634
Ducks	165	4,555	4,720	250	2,771	3,021	379	3,173	3,552
Other poultry	17	850	867	55	1,734	1,789	27	1,958	1,985
Total poultry	425,388	305,827	731,215	350,846	247,077	597,923	373,148	266,565	639,713

Poultry: Condemnations of poultry slaughtered under Federal Inspection, November 1964 with comparisons

Class	Ante-mortem condemnations						Post-mortem condemnations					
	Pounds (live weight):			Pounds (live weight):			Pounds (N.Y. dressed wt.):			Percent 2/		
	November	1963	1964	November	1963	1964	November	1963	1964	November	1963	1964
Young chickens	1,000	836	898	1,000	13,662	14,426	1,000	9,315	10,079	2.31	2.40	1,000
Mature chickens	221	240	240	2,012	2,269	2,269	2,012	2,164	2,078	3.31	3.51	14,200
Total chickens	1,057	1,138	1,138	15,674	16,695	16,695	15,674	11,479	12,157	2.45	2.53	153,744
Fryer-roasters	23	27	27	194	194	213	194	210	234	1.45	1.69	1,478
Young turkeys	245	411	411	1,282	1,282	1,646	1,282	3,481	4,517	1.51	1.69	14,662
Old turkeys 3/	---	---	---	63	63	59	63	2	1	1.16	.39	1,027
Total turkeys	268	438	438	1,539	1,539	1,918	1,539	3,693	4,752	1.51	1.68	17,167
Ducks 3/	---	---	---	13	13	11	13	80	56	2.10	1.23	913
Other poultry	2	2	2	5	5	7	5	10	20	.45	.81	36
Total	1,327	1,578	1,578	17,231	17,231	18,631	17,231	15,262	16,985	2.12	2.21	153,860
												174,307

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

Poultry: Inspected for canning and other processed foods, November 1964 with comparisons 1/

Class	Pounds used ready-to-cook weight						Pounds condemned ready-to-cook weight					
	November			January - November			November			January - November		
	October	1964	1963	October	1964	1963	October	1964	1963	October	1964	1963
Young chickens	1,000	9,881	10,253	1,000	94,811	113,574	1,000	13	8	7	257	114
Further processed:												---
Cut up	77,672	61,071	66,008	685,776	772,058	772,058	685,776	---	---	---	---	---
Mature chickens	27,141	21,337	24,153	230,156	232,198	232,198	230,156	10	24	17	191	173
Further processed:												---
Cut up	1,116	1,015	758	8,521	8,855	8,855	8,521	---	---	---	---	---
Turkeys	23,626	19,586	21,676	171,448	190,492	190,492	171,448	5	1	14	61	68
Further processed:												---
Cut up	10,395	5,589	6,989	43,774	54,355	54,355	43,774	---	---	---	---	---
Other poultry 2/	3,987	3,354	3,615	34,147	36,421	36,421	34,147	3	2	3	128	112
Further processed:												---
Cut up	52	86	107	973	656	656	973	---	---	---	---	---
Total	64,635	54,530	58,732	572,685	572,685	572,685	572,685	31	35	41	637	467
Further processed:												---
Cut up	89,235	67,761	73,862	739,044	835,924	835,924	739,044	---	---	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.
2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, November 1963 and 1964

Region and State	Number Inspected		Pounds Inspected		Average live weight		Total pounds certified		Post-mortem condemnations	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
N. Atl.	10,440	11,468	43,263	45,646	4.14	3.98	1,000	1,000	1,000	1,000
E. N. Cent.	2,136	2,090	8,712	8,326	4.08	3.98	31,341	32,863	831	994
W. N. Cent.	3,903	3,107	14,024	10,954	3.59	3.53	6,399	6,155	137	120
S. Atl.	52,326	57,097	186,229	202,076	3.56	3.54	10,119	7,807	200	220
S. Cent.	54,876	56,365	187,780	190,338	3.42	3.38	136,333	147,171	3,748	4,739
West	2,488	2,948	9,488	11,073	3.81	3.76	135,264	137,376	4,218	3,769
U. S.	126,169	133,075	449,496	468,413	3.56	3.52	326,269	339,303	9,315	10,079
Maine	4,711	4,639	19,814	19,234	4.21	4.15	14,718	14,165	426	403
Mass. 3/	238	---	1,028	---	4.32	---	740	---	21	---
Conn.	636	602	2,346	2,191	3.69	3.64	1,640	1,544	51	54
N. J.	23	24	113	115	4.94	4.79	38	38	2	2
Pa.	4,642	5,871	19,144	22,596	4.12	3.85	13,831	16,204	322	506
Ohio	456	306	1,939	1,423	4.25	4.65	1,437	1,051	25	22
Ind.	647	685	2,257	2,229	3.49	3.25	1,630	1,640	36	29
Ill.-Mich. 4/	60	60	427	385	7.12	6.42	315	290	7	7
Wis.	973	1,039	4,089	4,289	4.20	4.13	3,017	3,174	69	62
Minn.	820	606	3,463	2,575	4.22	4.25	2,593	1,891	33	30
Iowa	114	102	733	761	6.44	7.44	547	576	5	5
Mo.	2,962	2,393	9,766	7,574	3.30	3.17	6,935	5,308	161	185
Del.	5,166	5,879	20,130	22,776	3.90	3.87	14,810	16,753	484	565
Md.	7,444	8,039	28,572	30,759	3.84	3.83	20,622	21,947	606	876
Va.	2,735	3,114	8,790	9,899	3.21	3.18	6,222	6,814	143	316
N. C.	13,327	14,486	46,213	50,607	3.47	3.49	34,097	36,746	790	875
S. C.	1,194	1,323	4,211	4,778	3.53	3.61	3,027	3,459	91	112
Ge.	21,460	23,148	74,992	79,580	3.49	3.44	55,185	58,875	1,593	1,900
Ky.	1,465	1,606	4,982	5,526	3.40	3.44	3,545	3,973	61	77
Tenn.	3,503	3,643	12,134	12,478	3.46	3.43	8,863	9,183	268	206
Ala.	12,407	12,897	43,307	44,047	3.49	3.42	31,729	32,335	896	750
Miss.	11,091	10,011	37,611	33,788	3.39	3.38	27,302	24,728	966	687
Ark.	16,550	17,693	55,857	58,576	3.38	3.31	39,527	41,441	1,414	1,263
La.-Okla. 4/	2,021	2,905	7,949	10,002	3.49	3.44	5,133	7,193	154	232
Texas	7,839	7,610	26,840	25,921	3.42	3.41	19,165	18,523	459	554
Idaho	304	300	1,029	1,153	3.39	3.84	755	837	14	25
Wash.	679	609	2,516	2,255	3.70	3.71	1,774	1,610	47	34
Calif.	1,495	1,749	5,906	6,612	3.95	3.78	4,255	4,704	120	162

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, November 1964

Region and State	Tuber- culosis		Leu- cosis		Septi- cemia		Airsac- culitis		Inflam- matory		Tumors		Para- sites		Bruises		Cadaver inaction		Contam- ination		Over- scald		Decom- position		Other		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	90,732	57,754	51,900	20,095	1,001	6	1,579	8,195	11,319	837	74	9,950	253,442														
E. N. Cent.	---	1,937	5,072	12,784	5,563	310	8	778	1,445	2,052	324	1	930	31,204														
W. N. Cent.	---	4,351	17,932	30,791	9,006	479	1	808	2,679	3,388	89	---	1,911	71,435														
S. Atl.	---	366,079	248,522	522,340	118,589	4,103	13	12,267	42,615	71,774	3,160	2,580	23,734	1,415,776														
S. Cent.	---	103,961	242,724	425,902	106,134	5,292	21	14,508	47,299	57,184	4,953	204	29,311	1,037,493														
West	---	12,945	21,236	17,828	8,704	199	1	723	3,273	3,560	358	23	7,258	76,108														
U.S.	---	580,005	593,240	1,061,545	268,091	11,384	50	30,663	105,506	149,277	9,721	2,882	73,094	2,885,458														
Maine	---	38,930	22,418	13,045	10,595	364	2	666	3,483	3,522	64	74	2,906	96,069														
Conn.	---	2,617	3,892	2,654	575	147	1	107	118	2,438	27	---	557	13,133														
N. J.	---	324	54	---	24	11	---	---	---	6	---	---	111	530														
Pa.	---	47,620	28,740	35,942	8,498	432	3	739	4,335	5,034	746	---	6,255	138,344														
Ohio	---	557	1,398	737	545	128	---	63	339	523	38	1	376	4,705														
Ind.	---	422	1,965	3,302	1,250	29	---	184	368	744	228	---	366	8,858														
Ill.-Mich. 1/	---	304	246	15	65	5	---	10	150	44	1	---	24	864														
Wis.	---	654	1,463	8,730	3,703	148	8	521	588	741	57	---	164	16,777														
Minn.	---	353	726	1,049	971	333	---	73	546	889	10	---	1,358	6,308														
Iowa	---	196	297	17	25	17	---	44	29	20	1	---	45	691														
Mo.	---	3,785	16,895	29,716	8,007	128	1	687	2,103	2,479	75	---	506	64,382														
Del.	---	75,528	19,281	54,991	9,952	512	2	759	2,920	4,860	300	---	2,456	171,561														
Md.	---	113,078	35,597	75,334	17,880	921	2	1,301	6,278	7,023	348	13	6,000	263,775														
Va.	---	16,807	9,710	79,458	10,083	51	---	453	4,379	2,191	88	1	215	123,436														
N. C.	---	40,430	58,856	91,622	31,857	941	9	3,085	13,361	18,584	944	113	4,065	263,867														
S. C.	---	7,139	4,420	11,185	4,146	28	---	372	1,210	3,016	108	3	99	31,726														
Ga.	---	110,007	112,704	192,755	42,345	1,604	---	6,049	14,175	35,460	1,344	2,450	10,456	529,349														
Ky.	---	1,356	5,529	8,250	4,393	49	---	689	1,030	911	116	2	2,547	24,872														
Tenn.	---	13,475	16,119	7,782	8,088	188	---	645	5,354	5,502	11	105	5,236	62,505														
Ala.	---	25,427	58,406	65,845	21,981	950	---	1,719	5,594	12,213	1,221	6	1,701	195,063														
Miss.	---	20,773	26,844	87,655	14,467	1,395	---	3,004	5,985	12,912	1,996	61	4,995	179,887														
Ark.	---	28,483	86,601	158,463	31,022	1,307	3	4,492	19,043	15,326	819	---	5,842	351,401														
La.-Okla. 1/	---	3,059	18,991	31,782	5,427	317	1	1,418	2,688	2,570	191	---	383	66,827														
Texas	---	11,388	30,234	66,125	20,756	1,286	17	2,541	7,605	7,750	599	30	8,607	156,938														
Idaho	---	1,041	1,499	4,132	285	21	---	135	82	287	21	---	308	7,811														
Wash.	---	464	2,690	3,944	1,674	68	1	138	378	221	188	18	2,075	11,859														
Calif.	---	10,348	14,773	9,502	6,180	97	---	422	2,514	2,949	142	5	4,514	51,446														

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, November 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Pounds (NYD)		Post-mortem condemnations		
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964	Percent	Percent 2/	
	Thou.		pounds		Pounds		pounds		pounds				
N. Atl.	2,373	2,227	11,357	11,129	4.79	5.00	7,561	7,392	203	231	1.99	2.31	
E. N. Cent.	2,206	1,866	9,343	7,915	4.24	4.24	6,380	5,387	216	189	2.57	2.66	
W. N. Cent.	4,872	4,269	20,825	17,930	4.20	4.20	13,994	11,757	824	737	4.41	4.59	
S. Atl.	2,512	2,648	14,016	14,385	5.58	5.43	9,751	9,788	337	386	2.68	2.99	
S. Cent.	2,137	1,663	11,797	8,818	5.52	5.30	8,130	6,054	386	292	3.65	3.70	
West	1,229	1,345	5,476	5,861	4.46	4.36	3,635	3,861	198	243	4.03	4.62	
U. S.	15,329	14,018	72,814	66,038	4.75	4.71	49,451	44,239	2,164	2,078	3.31	3.51	
Maine	254	408	1,634	2,537	6.43	6.21	1,194	1,836	34	48	2.33	2.11	
N. J.	1,288	1,093	5,164	4,685	4.01	4.29	3,203	2,891	107	108	2.32	2.56	
Pa.	314	363	1,675	1,880	5.33	5.17	1,109	1,222	21	33	1.39	1.96	
Ohio	540	537	2,317	2,258	4.29	4.21	1,579	1,503	53	56	2.55	2.78	
Ind.	808	700	3,500	3,037	4.33	4.34	2,388	2,107	75	73	2.36	2.67	
Ill.	642	516	2,514	2,080	3.92	4.03	1,727	1,407	61	42	2.71	2.25	
Mich. 3/	25	105	105	---	4.27	---	65	---	2	---	1.99	---	
Wis.	191	113	907	539	4.75	4.75	621	369	25	18	3.13	3.62	
Minn.	1,911	1,766	7,841	7,116	4.10	4.03	5,442	4,600	342	343	4.86	5.39	
Iowa	711	356	2,810	1,461	3.95	4.10	1,871	951	86	41	3.43	3.14	
Mo.	868	956	4,395	4,644	5.06	4.86	2,930	3,119	124	121	3.15	2.92	
N. Dak.-S. Dak. 4/	263	58	1,190	239	4.52	4.12	756	158	53	16	4.96	7.48	
Del.	29	30	222	220	7.62	7.24	161	157	4	4	1.91	2.31	
Md.	500	612	2,052	2,501	4.10	4.09	1,395	1,629	44	46	2.39	2.05	
Va.	278	116	1,547	684	5.57	5.90	1,113	476	30	15	2.16	2.50	
N. C.	813	769	4,825	4,783	5.94	6.22	3,390	3,320	102	129	2.37	3.01	
S. C.	59	33	421	226	7.11	6.91	300	158	8	6	2.18	2.90	
Ca.	698	927	4,380	5,269	6.27	5.69	3,038	3,595	128	162	3.26	3.43	
Ky. 3/	---	59	---	301	---	5.13	---	209	---	11	---	4.08	---
Tenn.	708	238	3,373	1,298	4.77	5.46	2,316	906	123	46	4.08	3.99	
Ala.	215	112	1,369	727	6.36	6.47	953	520	34	22	2.76	3.44	
Miss.	327	730	1,898	3,276	5.80	4.49	1,328	2,237	55	103	3.23	3.53	
Ark.	421	165	2,493	1,203	5.92	7.30	1,688	846	89	35	4.01	3.25	
La.-Okla. 4/	81	64	580	417	7.16	6.52	420	287	18	17	3.46	4.54	
Texas	339	295	1,853	1,596	5.46	5.42	1,259	1,049	63	58	3.77	4.05	
Idaho	23	19	132	81	5.62	4.27	93	56	3	3	2.46	4.54	
Utah 3/	35	---	132	---	3.81	---	91	---	1	---	1.10	---	
Wash.	113	139	508	603	4.52	4.32	326	385	14	21	3.14	3.87	
Calif.	1,029	1,112	4,584	4,859	4.45	4.37	3,046	3,211	174	211	4.23	4.85	

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, November 1964

Region and State	Tuber- culosis		Leu- cosis		Septi- cemia		Airsac- culitis		Inflam- matory		Tumors		Para- sites		Bruises		Cadaver		Contam- ination		Over- scaled		Decom- position		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.		
N. Atl.	167	5,227	19,810	15	7,403	6,713	196	643	2,776	3,497	374	6	13,722	60,549													
E. N. Cent.	6,566	6,683	16,303	29	7,472	6,788	167	555	1,674	2,715	159	21	5,755	54,887													
W. N. Cent.	61,298	10,268	48,032	645	25,388	15,532	3,474	2,223	3,501	10,594	675	15	19,455	201,100													
S. Atl.	---	6,975	35,241	454	18,605	6,967	6	750	3,625	7,886	207	20	3,707	84,443													
S. Cent.	---	13,481	21,816	198	10,683	4,307	196	813	2,239	7,021	160	12	1,521	62,447													
West	---	1,056	26,966	213	7,564	15,047	340	1,166	693	3,146	302	2	12,488	68,983													
U. S.	68,031	43,690	168,168	1,554	77,115	55,354	4,379	6,150	14,508	34,859	1,877	76	56,648	532,409													
Maine	---	665	3,076	7	2,701	853	6	29	137	627	9	---	1,159	9,269													
N. N. J.	124	3,194	9,114	4	1,640	4,064	146	271	1,733	1,385	74	---	10,567	32,316													
Pa.	43	593	4,618	4	1,480	466	23	167	436	489	183	3	268	8,773													
Ohio	1,509	2,901	4,057	6	2,693	2,452	23	178	563	801	17	21	554	15,775													
Ind.	646	2,822	6,155	3	1,251	2,965	9	208	627	1,024	129	---	4,804	20,643													
Ill.	3,304	246	5,384	4	1,678	1,078	135	102	413	465	12	---	381	13,202													
Wis.	1,107	713	702	16	1,850	293	---	67	65	425	1	---	16	5,255													
Minn.	25,482	2,939	18,434	53	16,660	8,819	2,499	1,167	2,429	6,834	417	1	9,008	94,742													
Iowa	3,106	586	2,635	21	1,534	1,086	173	162	129	576	115	---	119	10,242													
Mo.	3,225	2,765	15,142	181	2,755	1,298	779	246	724	1,002	103	1	1,632	29,853													
N. Dak.-S. Dak. 1/	2,720	234	1,277	77	156	221	18	36	46	96	2	---	154	5,037													
Del.	---	246	289	7	159	34	3	3	33	39	---	---	---	813													
Md.	---	1,669	4,960	82	2,022	170	3	111	785	113	15	---	169	10,099													
Va.	---	277	938	30	1,594	176	---	13	92	205	4	---	1	3,330													
N. C.	---	2,453	11,196	131	6,937	1,649	---	276	978	3,106	22	---	1,003	27,751													
S. C.	---	214	236	19	362	26	---	5	48	137	---	---	2	1,049													
Ga.	---	1,709	14,402	184	6,624	3,731	---	273	1,612	3,916	86	20	903	33,460													
Ky.	---	84	1,795	5	181	407	---	6	31	384	---	---	2	2,895													
Tenn.	---	662	1,538	15	1,773	1,289	---	34	218	1,950	85	2	1,277	8,843													
Ala.	---	164	1,825	45	731	274	---	15	332	721	35	---	---	4,142													
Miss.	---	7,847	8,874	8	2,140	1,494	---	560	1,182	1,906	27	9	184	24,231													
Ark.	---	241	2,552	94	1,222	178	---	46	133	443	11	1	56	4,977													
La.-Okla. 1/	---	165	961	5	1,014	187	---	69	126	495	---	---	2	3,193													
Texas	---	4,318	4,271	26	3,622	478	---	83	217	1,122	2	---	---	14,166													
Idaho	---	97	579	27	116	90	---	4	21	72	2	---	4	1,012													
Wash.	---	250	2,132	---	693	562	---	71	141	333	27	---	1,448	5,657													
Calif.	---	634	22,871	186	6,487	14,333	340	1,044	511	2,668	271	2	10,893	60,240													

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, November 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1963 : 1964		1963 : 1964		1963 : 1964		1963 : 1964		1963 : 1964	
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	Pounds (NTD)	Percent
N. Atl.	499	509	9,899	10,244	19.84	20.13	7,699	8,006	91	1.02
E. N. Cent.	1,728	1,919	35,410	41,391	20.49	21.57	28,338	33,261	375	1.18
W. N. Cent.	3,775	4,747	83,095	105,391	22.01	22.20	66,824	85,191	1,177	1.58
S. Atl.	1,100	1,418	21,862	28,382	19.87	20.02	18,925	22,046	302	1.54
S. Cent.	1,741	1,961	36,795	43,302	21.13	22.08	29,236	33,969	679	2.05
West	3,165	3,222	69,215	69,475	21.87	21.56	55,703	56,021	857	1.38
U. S.	12,008	13,776	256,267	298,185	21.34	21.65	204,725	238,494	3,481	1.51
Pa.	363	371	7,234	7,416	19.91	19.98	5,706	5,874	63	.97
Ohio	360	499	7,464	10,505	20.74	21.04	5,971	8,369	49	.72
Ind.	508	549	10,978	11,840	21.62	21.56	8,788	9,627	140	1.42
Ill.-Mich. 3/	274	256	5,807	5,756	21.19	22.48	4,678	4,639	48	.92
Wis.	586	615	11,161	13,290	19.06	21.62	8,901	10,626	138	1.37
Co Minn.	1,722	2,159	36,708	47,188	21.31	21.86	29,787	38,296	394	1.19
Iowa	922	1,113	20,618	25,267	22.37	22.71	16,538	20,610	349	1.88
Mo.	675	857	15,282	19,483	22.64	22.73	12,077	15,522	267	1.94
N. Dak.-S. Dak. 3/	90	156	1,870	3,459	20.78	22.17	1,519	2,811	25	1.49
Nebr.	297	338	7,091	7,440	23.86	22.01	5,719	5,914	109	1.67
Kans.	69	124	1,526	2,554	22.12	20.60	1,184	2,038	36	2.62
Va.	549	599	10,475	11,704	19.09	19.53	7,805	8,869	150	1.59
N. C.	278	441	6,339	9,427	22.81	21.38	5,148	7,495	76	1.33
S. C.	24	25	524	612	21.72	24.62	427	497	2	.59
Ca.	84	85	1,789	1,843	21.29	21.56	1,432	1,497	25	1.55
Ky. 4/	232	---	4,893	---	21.09	---	3,996	---	37	2.26
Ark.	659	659	9,865	15,118	21.51	22.94	7,794	11,701	39	.88
Texas	627	680	13,374	14,758	21.34	21.70	10,581	11,595	253	2.85
Colo.	327	294	7,017	6,751	21.48	22.99	5,821	5,569	296	2.46
Utah	546	568	14,194	14,098	25.98	24.81	11,477	11,556	36	.57
Wash. 4/	---	56	---	1,217	---	21.91	---	---	144	1.13
Oreg.	220	236	4,749	5,061	21.57	21.48	3,809	4,073	12	---
Calif.	1,978	2,018	41,373	41,498	20.91	20.57	33,074	33,240	74	1.73
									588	1.58

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, November 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	:		:		:		:		:		:	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
N. At.	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	1,000	1,000	1,000	1,000
E. N. Cent.	63	68	564	619	8.95	9.13	408	443	6	8	1.29	1.48
N. Cent.	330	274	3,105	2,606	9.41	9.51	2,451	2,040	38	23	1.36	.98
W. N. Cent.	920	823	8,170	7,033	8.88	8.55	6,447	5,550	103	104	1.40	1.65
S. Atl.	386	434	3,426	3,896	8.88	8.98	2,538	2,906	56	85	1.82	2.43
S. Cent.	66	43	555	340	8.41	7.91	439	259	5	1	1.00	.33
West	35	104	297	918	8.49	8.83	231	710	2	13	.75	1.57
U. S.	1,800	1,746	16,117	15,412	8.95	8.83	12,514	11,908	210	234	1.45	1.69
Ohio	59	87	565	850	9.54	9.81	428	639	13	5	2.58	.71
Wis.	232	148	2,172	1,406	9.35	9.50	1,723	1,113	24	17	1.22	1.27
Minn.	801	712	7,200	6,122	8.99	8.60	5,697	4,833	81	85	1.26	1.55
Iowa	89	56	727	456	8.20	8.16	565	362	14	9	2.27	2.08
Ve.	371	408	3,284	3,682	8.86	9.03	2,425	2,736	54	83	1.86	2.53
Ark. 3/	49	---	419	---	8.48	---	330	---	5	---	1.19	---
Calif.	31	93	269	817	8.55	8.76	208	628	2	12	.74	1.74

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, November 1964

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver- infection	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	2	422	24	29	15	31	78	601					
E. N. Cent.	18	1,047	140	483	46	178	211	13				9	2,146
W. N. Cent.	54	7,403	2,391	768	145	461	999	260				89	12,665
S. Atl.	7	1,457	6,965	670	20	320	253	2				65	9,759
S. Cent.	1	12	8	41	1	33	27	2				3	140
West	18	744	746	44	12	48	26	72				15	1,727
U. S.	79	11,085	10,274	2,035	31	1,071	1,594	349				181	27,038
Ohio	1	106	8	47	33	95	102	4				9	406
Wis.	17	910	106	275	12	75	105	8				---	1,508
Minn.	79	6,227	2,042	732	103	376	813	129				2	10,569
Iowa	---	699	149	15	37	45	91	130				87	1,255
Va.	5	1,364	6,962	663	20	307	200	1				65	9,587
Calif.	18	683	742	34	12	27	26	68				15	1,627

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, November 1963 and 1964

Region and State	Number inspected	Pounds inspected (live weight)	Average live weight inspected 1/ (Ready-to-cook wt.)	Total pounds certified				Post-mortem condemnations			
				1963	1964	1963	1964	1963	1964	Percent	Percent
N. Atl. 3/	---	---	---	1,000	1,000	---	---	---	---	---	---
E. N. Cent. 3/	2	42	18.15	77	61	33	1	---	---	---	---
W. N. Cent.	9	149	16.56	150	121	121	1	2.20	---	0.74	---
S. Atl. 3/	---	---	---	---	---	---	---	---	---	---	---
S. Cent. 3/	---	---	---	---	---	---	---	---	---	---	---
West 3/	4	---	15.25	61	50	---	---	---	---	---	---
U. S.	11	191	17.36	288	232	154	2	1.16	---	.39	---
Minn. 3/	4	70	18.05	111	89	57	---	1.14	---	1.73	---

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, November 1964

Region and State	Tuber-	Leu-	Septi-	Airsac-	Inflam-	Tumors	Para-	Bruises	Cadaver	Contam-				Over-	Decom-	Other	Total
N. Atl.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
E. N. Cent.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W. N. Cent.	---	---	6	4	10	---	---	---	1	1	12	---	---	---	---	---	34
S. Atl.	---	---	27	51	14	---	---	1	4	4	14	---	---	---	---	---	115
S. Cent.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
West	---	---	16	---	9	---	---	4	---	---	---	---	---	---	---	---	29
U. S.	---	---	49	55	33	---	---	5	5	5	26	---	---	---	---	---	178
Minn.	---	---	18	37	11	---	---	1	1	4	14	---	---	---	---	---	86

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

OFFICIAL BUSINESS

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.